

AMEREN MISSOURI BUSINESS ENERGY EFFICIENCY



2025 STANDARD INCENTIVE PROGRAM

AmerenMissouri.com/GetStarted



BizSavers

THE BIZSAVERS® PROGRAM

Ameren Missouri's BizSavers program offers cash incentives for businesses to improve energy efficiency in their facilities. No matter the size, businesses can benefit from cost-saving upgrades that help achieve goals and get cash back to reinvest in the company.

Visit **AmerenMissouri.com/GetStarted** for more details on how to start a project and to download our incentive program applications.

Program staff will review and verify all applications including all necessary supporting documentation required for each incentive type. An incentive check will be issued within 45 days of receipt and approval of all project documentation. Incentive payments are available as a cash payment or an Ameren Missouri utility bill credit.

To learn more, call toll-free **1.866.941.7299**, or email the team at info@bizsavers.ameren.com.



CHECK PRESENTATIONS —

After a project has been completed, contact the BizSavers team about a check presentation to celebrate the energy saved and incentive received.



We've been working with Ameren Missouri for years to identify significant savings and be more energy-efficient while also having a positive impact on our budget. The incentive program was a win-win because it helped fund upgrades that will reduce our costs each year, which then enables us to reinvest the money we're saving into other programs that benefit our students."



— Parkway School District
St. Louis, MO

WAYS TO SAVE



HVAC

Since efficient cooling, heating and ventilation systems are essential, many cost-effective HVAC energy efficiency measures qualify for incentives.



COMMERCIAL COOKING

BizSavers offers incentives on energy efficient appliance such as refrigerators, freezers, exhaust hoods and electric steamers.



MOTORS

Motors account for the greatest source of energy consumption in the industrial sector. Make these systems energy efficient and earn incentives.



COMPRESSED AIR

The program offers cash incentives for replacing old, fixed-speed compressors or installing equipment like no-loss drains.



ELECTRIC WATER HEATING

Upgrading business heating systems to a high-efficiency electric water heater can save energy and reduce maintenance costs.



MOTOR CONTROLS & VFDs

BizSavers offers incentives to help offset the cost of installing controls or VFDs on your motor-powered devices such as pumps, fans and compressors.



REFRIGERATION

Recieve cash incentives to reduce the cost of upgrading to energy-saving systems, like certified ENERGY STAR® refrigerator or freezer cases.

TRADE ALLY NETWORK

BizSavers has a network of approved contractors and businesses called Trade Allies that have gone through training on the incentive program. The BizSavers Trade Ally Network are experts in a variety of fields, and they are available for any type of energy efficient upgrade. As trusted partners, the Trade Allies help businesses complete their energy efficiency upgrades and receive the most incentives available.

The BizSavers website houses the directory of all current Trade Allies with their contact information. The Trade Ally directory can also be used to search based on service area, service type, business type or diverse certification. Visit TradeAllyNetwork.com to begin your search for a Trade Ally.



PROGRAM OVERVIEW

The BizSavers program offers several standard measures that can take your energy savings even further. These measures include VFDs, rooftop HVAC units, air cooled chillers, among many more. Incentive amounts are predetermined and paid on a per-unit basis. These HVAC equipment upgrades are incentivized based on the amount of energy saved and must receive pre-approval prior to purchase or installation.

To get started with a Standard Pre-Approval project, contact the BizSavers team or learn more at AmerenMissouri.com/GetStarted.



BUILDING CONDITIONING

Chillers^{1, 2, 3, 4, 5, 6}

Inefficient Equipment Condition/ Equipment	Efficient Equipment	Incentive
Baseline IPLV: 0.88 kW/ton	High-Efficiency Air-Cooled Chiller	\$167 Per Ton
Baseline IPLV: 0.54 kW/ton	High-Efficiency Water-Cooled Chiller	\$58 Per Ton

- IPLV_base: AC Chiller Baseline IPLV assumes the 13.7 EER Minimum Requirement for < 150 ton unit.
- WC Chiller Baseline IPLV assumes the 0.54 kW/ton Minimum Requirement for 150-300 ton WC Chiller.

Controls⁷

Inefficient Equipment Condition/ Equipment	Efficient Equipment	Incentive
Space with no demand control capability	Demand Controlled Ventillation (Electric Heat)	\$0.57 Per Controlled Sq. Ft
	Demand Controlled Ventillation (Gas Heat)	\$0.18 Per Controlled Sq. Ft
	Demand Controlled Ventillation (Heat Pump)	\$0.32 Per Controlled Sq. Ft
Constant speed supply fan on packaged heating and cooling equipment	Advanced RTU Controls	\$1500 Per HP

Heat Pumps⁸

Inefficient Equipment Condition/ Equipment	Efficient Equipment	Incentive
12.1 EER	GSHP Retrofit	\$80 Per Ton
13.4 SEER2	ASHP <65kBTUh	\$108 Per Ton
13.9 IEER	ASHP ≥65kBTUh and <135 kBTUh	\$110 Per Ton
13.3 IEER	ASHP ≥135kBTUh and <240 kBTUh	\$153 Per Ton
12.3 IEER	ASHP >240kBTUh	\$214 Per Ton
12.2 EER	WSHP <17 kBTUh	\$120 Per Ton
13 EER	WSHP ≥17 kBTUh and <65 kBTUh	\$130 Per Ton
13 EER	WSHP ≥65kBTUh and <135 kBTUh	\$140 Per Ton

BUILDING CONDITIONING *CONTINUED*

High Volume Fans ⁹

Inefficient Equipment Condition/ Equipment	Efficient Equipment	Incentive
Multiple non-high volume low speed fans	High Volume Low Speed Fan, 16	\$700 Per Fan
	High Volume Low Speed Fan, 18	\$1,100 Per Fan
	High Volume Low Speed Fan, 20	\$1,450 Per Fan
	High Volume Low Speed Fan, 22	\$1,850 Per Fan
	High Volume Low Speed Fan, 24	\$2,200 Per Fan

Unitary AC/DX ^{4, 5, 6, 8}

Inefficient Equipment Condition/ Equipment	Efficient Equipment	Incentive
13.4 SEER2	Single Package or Split System Unitary AC/DX <65kbtu	\$149 Per Ton
14.6 IEER	Single Package or Split System Unitary AC/DX 65 -135kbtu	\$102 Per Ton
14.0 IEER	Single Package or Split System Unitary AC/DX 135 - 240kbtu	\$117 Per Ton
13.0 IEER	Single Package or Split System Unitary AC/DX 240 - 760kbtu	\$175 Per Ton
11.0 IEER	Single Package or Split System Unitary AC/DX >760kbtu	\$10 Per Ton

Variable Frequency Drives (VFDs) ^{10, 11, 12, 13}

Inefficient Equipment Condition/ Equipment	Efficient Equipment	Incentive
No VFD Installed	VFD on Chilled Water Pump >=1HP	\$270 Per HP
	VFD on Condenser Water Pump >= 1HP	
	VFD on Cooling Tower Fan >= 1HP	\$350 Per HP
	VFD on Hot Water Pump >= 1HP	\$250 Per HP
	VFD on HVAC Fans >= 1HP	\$200 Per HP

COMPRESSED AIR

Air Nozzle

Inefficient Equipment Condition/ Equipment	Efficient Equipment	Incentive
Inefficient Air Nozzle	Compressed Air Nozzle (Reciprocating - Load/Unload)	\$100 Per Nozzle
	Compressed Air Nozzle (Reciprocating - On/off Control)	
	Compressed Air Nozzle (Screw - Inlet Modulation w/ blowdown)	
	Compressed Air Nozzle (Screw - Inlet Modulation)	
	Compressed Air Nozzle (Screw - Load/Unload)	
	Compressed Air Nozzle (Screw - Variable Displacement)	
	Compressed Air Nozzle (Screw - VFD)	

No Loss Drain

Inefficient Equipment Condition/ Equipment	Efficient Equipment	Incentive
Open Valve or Timer Condensate Drain	No Loss Condensate Drain (Reciprocating - Load/Unload)	\$240 Per Drain
	No Loss Condensate Drain (Reciprocating - On/off Control)	
	No Loss Condensate Drain (Screw - Inlet Modulation w/ Unloading)	
	No Loss Condensate Drain (Screw - Inlet Modulation)	
	No Loss Condensate Drain (Screw - Load/Unload)	
	No Loss Condensate Drain (Screw - Variable Displacement)	
	No Loss Condensate Drain (Screw - VFD)	

VSD Compressor

Inefficient Equipment Condition/ Equipment	Efficient Equipment	Incentive
Constant speed air compressor	VSD Air Compressor 5-40 HP	\$120 Per HP
Constant speed air compressor	VSD Air Compressor >40-<50 HP	
Constant speed air compressor	VSD Air Compressor 50-200 HP	\$107 Per HP

COOKING

Demand Control Ventilation

Inefficient Equipment Condition/ Equipment	Efficient Equipment	Incentive
Kitchen ventilation with constant speed motor	Kitchen Demand Ventilation Controls, Retrofit	\$450 Per HP

- System should include installation of a new temperature sensor in the hood exhaust collar and/or a an optic sensor on the end of the hood that senses cooking conditions which allows the system to automatically vary the rate of exhaust to what is needed by adjusting the fan speed accordingly

Hot Food Holding Cabinet

Inefficient Equipment Condition/ Equipment	Efficient Equipment	Incentive
Non-ENERGY STAR equivalent size unit	ENERGY STAR Hot Holding Cabinet ($0 < V < 13$)	\$75 Per Cabinet
	ENERGY STAR Hot Holding Cabinet ($13 \leq V < 28$)	\$350 Per Cabinet
	ENERGY STAR Hot Holding Cabinet ($28 \leq V$)	\$530 Per Cabinet

Steam Cooker

Inefficient Equipment Condition/ Equipment	Efficient Equipment	Incentive
Non-ENERGY STAR equivalent size unit	3 Pan ENERGY STAR Steam Cooker	\$900 Per Cooker
	4 Pan ENERGY STAR Steam Cooker	\$980 Per Cooker
	5 Pan ENERGY STAR Steam Cooker	\$1,000 Per Cooker
	6 Pan ENERGY STAR Steam Cooker	\$1,200 Per Cooker

POOL PUMP

Pool Pump with VFD ^{10, 11, 12, 13}

Inefficient Equipment Condition/ Equipment	Efficient Equipment	Incentive
Pool pump with no VFD installed	Pool Pump w/ Variable Frequency Drive	\$134 Per HP

REFRIGERATION

Anti-Sweat Heater Controls

Inefficient Equipment Condition/ Equipment	Efficient Equipment	Incentive
Non-ENERGY STAR equivalent size unit	Anti-Sweat Heater Controls Freezer	\$90 Per Controller
	Anti-Sweat Heater Controls Refrigerator	\$65 Per Controller

Vertical Closed Freezers and Refrigerators

Inefficient Equipment Condition/ Equipment	Efficient Equipment	Incentive
Non-ENERGY STAR equivalent size unit	$0 < V < 15$ - Vertical Closed - Glass Door Freezer	\$105 Per Freezer
	$15 \leq V < 30$ - Vertical Closed - Glass Door Freezer	\$210 Per Freezer
	$30 \leq V < 50$ - Vertical Closed - Glass Door Freezer	\$360 Per Freezer
	$V \geq 50$ - Vertical Closed - Glass Door Freezer	\$570 Per Freezer
	$15 \leq V < 30$ - Vertical Closed - Solid Door Freezer	\$90 Per Freezer
	$30 \leq V < 50$ - Vertical Closed - Solid Door Freezer	\$160 Per Freezer
	$V \geq 50$ - Vertical Closed - Solid Door Freezer	\$300 Per Freezer
	$0 < V < 15$ - Vertical Closed - Solid Door Refrigerator	\$35 Per Refrigerator

Horizontal Closed Refrigerators

Inefficient Equipment Condition/ Equipment	Efficient Equipment	Incentive
Non-ENERGY STAR equivalent size unit	Horizontal Closed - Solid Door Refrigerator - All Volumes	\$85 Per Refrigerator
	Horizontal Closed - Glass Door Refrigerator - All Volumes	\$50 Per Refrigerator

WATER HEATING

Heat Pump

Inefficient Equipment Condition/ Equipment	Efficient Equipment	Incentive
Electric resistance commercial water heater	Heat Pump Water Heater 2.9-14.6 kW (10 to 50 MBH)	\$1,400 Per Heater
	Heat Pump Water Heater 14.7-29.3 kW (50 to 100 MBH)	\$3,500 Per Heater
	Heat Pump Water Heater 29.4-87.9 kW (100 to 300 MBH)	\$9,000 Per Heater
	Heat Pump Water Heater 88-146.5 kW (300 to 500 MBH)	\$19,000 Per Heater
	Heat Pump Water Heater >146.6 kW (above 500 MBH)	\$25,000 Per Heater
	Heat Pump Water Heater ≤55 gal, medium draw	\$220 Per Heater
	Heat Pump Water Heater >55 gal and ≤ 120 gal, medium draw	\$360 Per Heater

PROGRAM GUIDELINE NOTES:

1. "High Efficiency" is considered a unit more efficient than IECC 2018.
2. All chiller measures are intended for single chiller systems (back-up chillers will not qualify).
3. To qualify for the chiller measure, the chiller must be able to serve 100% of the zone's cooling load.
4. Equipment being replaced must be less than or equal to the inefficient equipment baseline.
5. Tons are defined as the Net Cooling Capacity of a unit.
6. In the case where the HVAC equipment is not replacing an existing unit, the higher of the inefficient equipment baseline in the table above or local code baseline will be used.
7. Advanced Roof Top Controls must integrate air-side economization, supply-fan speed control (by installing a variable speed drive), and demand controlled ventilation. This measure is for retrofit of an existing HVAC unit.
8. EER = Full Load Efficiency, IEER = Part Load Efficiency
9. HVLS fan must have VFD.
10. Existing motor must not already have a VFD.
11. System must have a variable or reduced load.
12. In systems with lead/lag setups or redundant equipment, the number of VFDs incented cannot exceed the number of motors needed to perform the work.
13. Installation to have necessary control points and parameters.



Upgrading HVAC equipment can
reduce your building's HVAC
energy usage by 30-50%.



CONTACT US

We have a team of experts ready to help with your energy-efficiency questions.



Lincoln Boschert

Senior Business Development
314.949.9497
LBoschert@trccompanies.com



Lauren Curran

Program Manager
314.941.5745
LCurran@trccompanies.com



Matt Farwig

Business Development
314.399.7467
MFarwig@trccompanies.com



Rick Gabrielson

Energy Engineering Advisor
314.243.1453
RGabrielson@trccompanies.com

START SAVING TODAY

Visit our website to start your project: AmerenMissouri.com/GetStarted
or call us at 1.866.941.7299.

v. 202504

 Please recycle



BizSavers